

FOGGING Security System

Secure your valuable and life from Burglary attempts with real protection of UR Fog

System generate a thick, impenetrable and harmless smoke obscuring the vision on detection of burglar



SECURE
AND
CERTIFIED

THE MOST EFFECTIVE
**SECURITY
SYSTEMS**





- ◆ Install “FAST ALL IN ONE” by yourself in a very easy way
- ◆ Detect 180° up to 12 meters. Any intruder
- ◆ Auto-installing DIY
- ◆ No alarm system required
- ◆ Can be added to an existing alarm
- ◆ No maintenance and installation cost

ALL IN ONE

GENERAL SPECIFICATIONS	FAST 03 1C ALL IN ONE	FAST 03 2C ALL IN ONE	FAST 02 2C ALL IN ONE	FAST 01 2C ALL IN ONE
Weight of the fog machine	13 kg	13 kg	16 kg	23 kg
Dimension of the machine	30.5×19.0×h39,0	30.5×19.0×h39.0	30.5×19.0×h39.0	30.0×34.5×h42.5
Colours	White / dark grey	White / dark grey	White / dark grey	White / dark grey
Working time without main power	About 2 hours	About 2 hours	About 2 hours	Over 2.5 hours
Vertical or corner mounting	Yes	Yes	Yes	Yes
Orientable shooting nozzle	Yes	Yes	Yes	Yes
Nozzle Tamper	Yes	Yes	Yes	Yes
Max single fog shot (zero visibility)	200m ³	200 m ³	400 m ³	1200 m ³
Max single fog shot (1.5m visibility)	300m ³	300 m ³	600 m ³	1800 m ³
Speed of fog emission	200m ³ / 20 sec	200m ³ / 20 sec	600m ³ / 30 sec	1200m ³ / 60 sec
Total fog emission with full tank	900m ³	1800 m ³	1800 m ³	1800 m ³
Number of fog recharges	1	2	2	2
Fog recharges total capacity	600ml	600 ml + 600 ml	600 ml + 600 ml	600 ml + 600 ml
Fog recharge model	A 01	A 01	A 01	A 01
Double tank advantage	No	Yes	Yes	Yes
Power supply	220V or 110V	220V or 110V	220V or 110V	220V or 110V
Average power consumption	37W	37W	42W	60W
Backup battery	2 Ah	2 Ah	2 Ah	2 Ah
Battery charger	Yes	Yes	Yes	Yes
Optional anti robbery kit	Yes	Yes	Yes	Yes
Serial expansion bus	Yes	Yes	Yes	Yes
Inputs	3	3	3	3
Outputs	4	4	4	4
Double technology pir on board	Yes	Yes	Yes	Yes
2 way keyfobs plus receiver	2	2	2	2
Extra keyfobs	Optional	Optional	Optional	Optional
GSM communicator for remote control	Optional	Optional	Optional	Optional
Internal Siren	Optional	Optional	Optional	Optional
European certification	Yes	Yes	Yes	Yes



- ◆ Powerful and fast fogging system
- ◆ Removable and disposable fog recharge
- ◆ Fast Shoot
- ◆ Patented Double Fog Recharge
- ◆ Vertical / Horizontal Installation
- ◆ Easy Maintenance
- ◆ Low Power Consumption
- ◆ Safe and Reliable

To be added to an Existing Alarm System

PRO PLUS LINE

GENERAL SPECIFICATIONS	FAST 03 EASY2	FAST 03 1C PRO PLUS	FAST 03 2C PRO PLUS	FAST 02 2C PRO PLUS	FAST 01 2C PRO PLUS
Weight of the Fog Machine	About 9 KG	About 11 KG	About 11 KG	About 15 KG	About 22 KG
Dimension of the Machine	26.5×23.0×H34.5	27.5×23.0×H44.0	27.5×23.0×H44.0	27.5×23.0×H44.0	30.0×35.0×H43.0
Colors	White	White	White	White	White
Working time without mains power	About 2 Hours	About 2 Hours	About 2 Hours	About 2 Hours	About 2 Hours
Heat up time from cold	About 70 Minutes	About 70 Minutes	About 70 Minutes	About 90 Minutes	About 2 Hours
Vertical or corner mounting	Yes	Yes	Yes	Yes	Yes
Horizontal mounting	No	Yes	Yes	Yes	Yes
Serial bus for standard protocol	Yes	Yes	Yes	Yes	Yes
Nozzle tamper	No	Yes	Yes	Yes	Yes
Serial bus for standard protocol	Yes	Yes	Yes	Yes	Yes
Alarm kit	Optional	Optional	Optional	Optional	Optional
FOG GENERATOR					
New heating system plus	Yes	Yes	Yes	Yes	Yes
Max fog single shot 1.5 M visibility	Up to 300 M ³	Up to 300 M ³	Up to 300 M ³	Up to 600 M ³	Up to 1800 M ³
Max fog single shot zero visibility	Up to 200 M ³	Up to 200 M ³	Up to 200 M ³	Up to 400 M ³	Up to 1200 M ³
Max seconds of fog emission	15 Sec	15 Sec	15 Sec	30 Sec	60 Sec
Max fog emitted with full fog tank	600 m ³	900 m ³	1800 m ³	1800 m ³	1800 m ³
Number of fog recharge	1	1	2	2	2
Fog tank capacity	1×300 ml	1×600 ml	2×600 ml	2×600 ml	2×600 ml
Shooting specification	2 Shots (200 m ³ each)	Programmable in Seconds	Programmable in Seconds	Programmable in Seconds	Programmable in Seconds
Fog recharge model	E200 2 Shots	A01 AH01	A01 AH01	A01 AH01	A01 AH01
Fog recharge included	1	1	2	2	2
Double fog tank advantage	No	No	Yes	Yes	Yes
ELECTRICAL SPECIFICATION					
Power supply	220 V or 110 V	220 V or 110 V	220 V or 110 V	220 V or 110 V	220 V or 110 V
Average power supply	37 W	37 W	37 W	42 W	60 W
Back up battery	Yes	Yes	Yes	Yes	Yes
Optional demo / Antirobbery kit	Yes	Yes	Yes	Yes	Yes
Inputs wired arming and shooting	Yes	Yes	Yes	Yes	Yes
Output wired	Yes	Yes	Yes	Yes	Yes
Standard communication protocol	Yes	Yes	Yes	Yes	Yes
STANDARD					
Compiles with european ce	Yes	Yes	Yes	Yes	Yes
Fog fluid is certified	Yes	Yes	Yes	Yes	Yes
Meets European standard	Yes	Yes	Yes	Yes	Yes



Why UR FOG fogging security system?

UR FOG has a proprietary technology that grants an extraordinary protection as well as many other peculiarities that make your fogging system the safest and most secure.

"It is impossible to steal what is impossible to see" This sentence is the perfect caption to describe UR Fog features as after few seconds from the ejection you will not be able to see anything.

UR FOG fogging systems are innovative in their technology and performances, to guarantee the most effective protection against thefts and they have different patents.

An alarm system can just inform you about a theft but not prevent it. Burglars need less than 3 minutes to make a crime, usually they know exactly where to go and what to take, while the police need at least 10-15 minutes to arrive. That's why you need a fogging system to protect your properties in just some seconds.



Active Safety fog warning machine

UR FOG is an incredible technology, which is best suited and specifically designed for intrusion security which immediately repels the intruder. It is the only proactive security device, which performs a crime prevention function during an intrusion.



Suitable Security Solution


- Jewelries / Electronic Shops / Super Markets
- Petrol Stations.
- Gun Stores / Drugstores / Gambling Machines.
- Security Companies / Cash in Transit / Value Transports.
- Warehouses / Garages / Homes.
- ATM / Safe Rooms / Depositories / Cash Counter / IT Server Rooms.



UR FOG fogging systems are certified after European regulations. Fog fluid is assessed as not dangerous for people and animals and does not leave residuals.



The fastest and most powerful machines shooting up to 300 m3 in 1 shot.



The most dense fog among fogging systems thanks to 80% glycol in its fog fluid and the proprietary shooting technology based on Fog Recharge.



Fog Recharge are the best solution to shoot fog, very easy to change as they do not need to be recharged, they have a very competitive price.



Thanks to the massive insulation UR FOG fogging systems have a very low power consumption and can shoot for longer time in absence of main power, temperature is stable all the time.



Another exclusive, patented and very useful plus that allows to detect automatically if the nozzle is tampered and tries to shoot out anything that stops the nozzle, besides sending an advise signal.



A unique serial bus to plug on the electronic board an add on board that allows to make easily interface cards for direct connections with alarms and to allow the full control of the machine even from remote, it has a standard protocol for all machines.



The UR FOG Fog Cannons are cutting edge and innovative as technology and performance to offer the best possible protection against theft and are protected by numerous patents.



The UR FOG Fog Cannons have been certified and tested to ensure maximum safety and reliability. The mist leaves no residue and is certified to be nonhazardous to humans and animals.



B-8, Sector 60, Noida, UP - 201 301

Email: sales@xsort.in, www.xsort.in

Tel No.: +91-120-4136330, Mob.: +91 72900 41461